

ATBILSTĪBAS SERTIFIKĀTS

Certification Centre, Latvian Academy of Sciences,
1 Akadēmijas laukums, Rīga, Republic of Latvia, phone/ fax: +371 67212807,
E-mail: certcn@latnet.lv ; www.sertifikacijascentrs.lv

Certificate of constancy of performance No. 1327-CPR-1080

In compliance with the Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction products

Non shrinkage mortar RM

with parameters:

Class	R4
Compressive strength	≥50 Mpa
Adhesion	≥2 Mpa
Reaction to fire	Euroclass A1

suitable for erection of ferroconcrete elements, for filling and repair of vertical and horizontal intermediate-panels' joints during maintenance of buildings, for strengthening of anchor arrows of instalments and building structures, for internal and external works, is produced by

the manufacturer **SAKRET, Ltd**

to the address: „Ritvari”, Rumbula, Stopinu district, Latvia, LV-2121.

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard


EN 1504-3:2006,

under system 1 for the performance set out in the certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

constancy of performance of the construction product.

This certificate was first issued on 12 May 2017 and will remain valid latest on 12 May 2020 as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body.

Rīga,
12 May 2017



I. Matiss
Chairman of the Board,
Certification Centre Latvian Academy of Sciences
Dr. Habil. Eng.

